

Blood Pressure Explained



High Blood Pressure

You can have high blood pressure, or hypertension, and still feel just fine. That's because high blood pressure does not cause signs of illness that you can see or feel. But, high blood pressure, sometimes called "the silent killer," is a major health problem. If high blood pressure isn't controlled with lifestyle changes and medicine, it can lead to stroke, heart disease, eye problems, or kidney failure.

What Is Blood Pressure?

Blood pressure is the force of blood pushing against the walls of arteries. When the doctor measures your blood pressure the results are given in two numbers. The first number, called systolic pressure, measures the pressure when your heart beats. The second number, called diastolic pressure, measures the pressure while your heart relaxes between beats. Normal blood pressure is a systolic pressure of less than 120 and a diastolic pressure of less than 80.

Do You Have High Blood Pressure?

One reason to have regular visits to the doctor is to have your blood pressure checked. The doctor will say your blood pressure is high when it measures 140/90 or higher at two or more checkups. He or she may ask you to check your blood pressure at home at different times of the day. If the pressure stays high, the doctor may suggest medicine, changes in your diet, and exercise.

What do the Numbers Mean?		
	Systolic	Diastolic
Normal Blood Pressure	Less than 120	Less than 80
High Blood Pressure	140 or more	90 or more
Prehypertension	Between 120-139	Between 80-89
Isolated Systolic Hypertension	140 or more	Less than 90

You could have *prehypertension* if your blood pressure is only slightly higher than normal – for example, the first number (systolic) is between 120 and 139 or the second number (diastolic) is between 80 and 89. Prehypertension can put you at risk for developing high blood pressure. Your doctor will probably want you to make changes in your day-to-day habits to try and lower your blood pressure.

What If Just the First Number Is High?

For older people, the first number (systolic) often is 140 or greater, but the second number (diastolic) is less than 90. This problem is called isolated systolic hypertension. Isolated systolic hypertension is the most common form of high blood pressure in older people, and it can lead to serious health problems. It is treated in the same way as regular high blood pressure. If your systolic pressure is 140 or higher, ask your doctor how you can lower it.

Private Duty Home Care
Companionship • Light Housekeeping
Meal Preparation • Personal Care

Geriatric Care Management
Comprehensive Care Planning • Medical Advocacy
Liaison for Families at a Distance

Partners in Senior Care, Inc.
*Our mission is the quality delivery
of care services to the senior population.*

847-548-1330

www.partnersinSeniorcare.com

IDPH Home Service Agency License #3000139 • IDPH Home Nursing Agency License #4000114

Blood Pressure Explained

Some Risks You Can't Change

Anyone can get high blood pressure. But some people have a greater chance of having it because of things they can't change. These are:

Age. The chance of having high blood pressure increases as you get older.

Gender. Before age 55, men have a greater chance of having high blood pressure. Women are more likely to have high blood pressure after menopause.

Family history. High blood pressure tends to run in some families.

Race. African-Americans are at increased risk for high blood pressure.

How Can I Control My Blood Pressure?

More than half of Americans over age 60 and about three-fourths of those 70 years of age and older have high blood pressure. The good news is blood pressure can be controlled in most people. To start, there are many lifestyle changes you can make to lower your risk of high blood pressure, including:

Keep a healthy weight. Being overweight adds to your risk of high blood pressure. Ask your doctor if you need to lose weight.

Exercise every day. Moderate exercise can lower your risk of high blood pressure. Try to exercise at least 30 minutes a day most days of the week. Check with your doctor before starting an exercise plan if you have a long-term health problem or are over 50 and have been inactive.

Eat a healthy diet. A diet rich in fruits, vegetables, whole grains, and low-fat dairy products may help to lower blood pressure. Ask your doctor about following a healthy diet.

Cut down on salt. Many Americans eat more salt (sodium) than they need. Most of the salt comes from processed food (for example, soup and baked goods). A low-salt diet might help lower your blood pressure. Talk with your doctor about eating less salt.

Drink less alcohol. Drinking alcohol can affect your blood pressure. Most men shouldn't have more than two drinks a day; most women should not drink more than one drink a day.

Don't smoke. Smoking increases your risk for high blood pressure and heart disease.

Manage stress. People react to stress in different ways. For some, stress can cause their blood pressure to go up. Talk to your doctor about how you can lower stress. Exercise and getting a good night's sleep can help.

If these lifestyle changes don't control your high blood pressure, your doctor will prescribe medicine. You may try several kinds before finding the one that works best for you. Medicine can control your blood pressure, but it can't cure it. You may need to take medicine for the rest of your life. You and your doctor can plan together how to manage your blood pressure.

From: <http://www.nia.nih.gov/HealthInformation/Publications/hiblood.htm>

Private Duty Home Care
Companionship • Light Housekeeping
Meal Preparation • Personal Care

Geriatric Care Management
Comprehensive Care Planning • Medical Advocacy
Liaison for Families at a Distance

Partners in Senior Care, Inc.
*Our mission is the quality delivery
of care services to the senior population.*

847-548-1330
www.partnersinseniorcare.com

IDPH Home Service Agency License #3000139 • IDPH Home Nursing Agency License #4000114